









RADIUS TENSIONED MOTORIZED PROJECTION SCREEN

Sturdy, reliable projection screen featuring a sleek, stylish aluminium case. The electric Somfy motor ensures a silent, fast movement and the counterweight bar hides completely inside the case once the screen is rolled. The generous size of the rolling bar guarantees the perfect planarity of the screen and avoids any flexure.

Screen	Type	Motorized
	Minimum size	200x86 cm
	Maximum size	400x400 cm
	Max canvas width	400 cm
	Available Ratios	4:3, 16:9, 16:10, 21:9
	Available canvas	Soft white, Soft Matt White, Soft contrast grey
	Tensioning	Yes
	Black borders	Available
	Black borders size	5 cm
	Extra drop	Available
	Extra drop size	50 cm
Case	Adjustmens	Mechanical, factory set with limited adjustment by the enduser
	Material	Aluminium
	Installation	Ceiling or Wall
	Extra width of the case	18 cm
Motor	Standard colour	Matte white
	Position	Left
	Type	Tubular
	Supply	90 W
	Speed	17 m/min
	Noise	46 dB
Warranty and certifications	Command	Wall switch (standard) or radio remote control (optional)
	Screen warranty	24 months
	Motor warranty	5 years
Differentiators	Certifications	CE, IMQ (motor), fireproof (canvas)
	Highlights	<ul style="list-style-type: none"> Sturdy and reliable Sleek, stylish case The counterweight bar retracts completely inside the case The side tensioning system ensures the perfect planarity of the projection canvas Silent and powerful motor Carefully manufactured Top quality materials Free brackets positioning along the whole width of the case thanks to the exclusive rail system
Accessories	Why you should choose it	<ul style="list-style-type: none"> The same mounting brackets are fit for both ceiling and wall installations Exclusive design of the case Invisible counterweight when the screen is completely rolled Tensioning system depending upon the colour of the canvas, with or without black borders The size of the inner rolling tubes prevent any flexure and assure a perfect canvas planarity 100% customizable Manufactured with italian or EU materials
	Included	Switch, ceiling/wall mounting brackets, allen key for limit adjustment, manual
	Not included	Radio remote control, radio remote control with motor-embedded receiver



SIZE		PROJECTION AREA			BLACK BORDERS	TOP DROP	TUBE Ø	SCREEN DESCRIPTION	HELGI CODES
A	B	A'	B'	O"					
200	168	190	143	94	5	20	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 190X143	HLGSRAT43190SWB5D20
250	205	240	180	119	5	20	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 240X180	HLGSRAT43240SWB5D20
300	243	290	218	143	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 290X218	HLGSRAT43290SWB5D20
350	280	340	255	168	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 340X255	HLGSRAT43340SWB5D20
400	318	390	293	192	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 390X293	HLGSRAT43390SWB5D20
200	168	190	143	94	5	20	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 190X143	HLGSRAT43190SMWB5D20
250	205	240	180	119	5	20	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 240X180	HLGSRAT43240SMWB5D20
300	243	290	218	143	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 290X218	HLGSRAT43290SMWB5D20
350	280	340	255	168	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 340X255	HLGSRAT43340SMWB5D20
400	318	390	293	192	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 390X293	HLGSRAT43390SMWB5D20
200	168	190	143	94	5	20	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 190X143	HLGSRAT43190SGB5D20
250	205	240	180	119	5	20	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 240X180	HLGSRAT43240SGB5D20
300	243	290	218	143	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 290X218	HLGSRAT43290SGB5D20
350	280	340	255	168	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 340X255	HLGSRAT43340SGB5D20
400	318	390	293	192	5	20	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 390X293	HLGSRAT43390SGB5D20
200	162	190	107	86	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 190X107	HLGSRAT16190SWB5D50
250	190	240	135	109	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 240X135	HLGSRAT16240SWB5D50
300	218	290	163	131	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 290X164	HLGSRAT16290SWB5D50
350	246	340	191	154	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 340X192	HLGSRAT16340SWB5D50
400	274	390	219	177	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 390X220	HLGSRAT16390SWB5D50
200	162	190	107	86	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 190X107	HLGSRAT16190SMWB5D50
250	190	240	135	109	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 240X135	HLGSRAT16240SMWB5D50
300	218	290	163	131	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 290X164	HLGSRAT16290SMWB5D50
350	246	340	191	154	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 340X192	HLGSRAT16340SMWB5D50
400	274	390	219	177	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 390X220	HLGSRAT16390SMWB5D50
200	162	190	107	86	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 190X107	HLGSRAT16190SGB5D50
250	190	240	135	109	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 240X135	HLGSRAT16240SGB5D50
300	218	290	163	131	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 290X164	HLGSRAT16290SGB5D50
350	246	340	191	154	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 340X192	HLGSRAT16340SGB5D50
400	274	390	219	177	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 390X220	HLGSRAT16390SGB5D50
200	136	190	81	82	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 190X82	HLGSRAT21190SWB5D50
250	158	240	103	103	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 240X103	HLGSRAT21240SWB5D50
300	179	290	124	125	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 290X125	HLGSRAT21290SWB5D50
350	201	340	146	146	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 340X146	HLGSRAT21340SWB5D50
400	222	390	167	168	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 390X168	HLGSRAT21390SWB5D50
200	136	190	81	82	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 190X82	HLGSRAT21190SMWB5D50
250	158	240	103	103	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 240X103	HLGSRAT21240SMWB5D50
300	179	290	124	125	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 290X125	HLGSRAT21290SMWB5D50
350	201	340	146	146	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 340X146	HLGSRAT21340SMWB5D50
400	222	390	167	168	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 390X168	HLGSRAT21390SMWB5D50
200	136	190	81	82	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 190X82	HLGSRAT21190SGB5D50
250	158	240	103	103	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 240X103	HLGSRAT21240SGB5D50
300	179	290	124	125	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 290X125	HLGSRAT21290SGB5D50
350	201	340	146	146	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 340X146	HLGSRAT21340SGB5D50
400	222	390	167	168	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 390X168	HLGSRAT21390SGB5D50
200	174	190	119	89	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 190X119	HLGSRAT10190SWB5D50
250	205	240	150	112	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 240X150	HLGSRAT10240SWB5D50
300	236	290	181	135	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 290X182	HLGSRAT10290SWB5D50
350	268	340	213	158	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 340X213	HLGSRAT10340SWB5D50
400	299	390	244	182	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft White 390X244	HLGSRAT10390SWB5D50
200	174	190	119	89	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 190X119	HLGSRAT10190SMWB5D50
250	205	240	150	112	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 240X150	HLGSRAT10240SMWB5D50
300	236	290	181	135	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 290X182	HLGSRAT10290SMWB5D50
350	268	340	213	158	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 340X213	HLGSRAT10340SMWB5D50
400	299	390	244	182	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Matt White 390X244	HLGSRAT10390SMWB5D50
200	174	190	119	89	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 190X119	HLGSRAT10190SGB5D50
250	205	240	150	112	5	50	60	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 240X150	HLGSRAT10240SGB5D50
300	236	290	181	135	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 290X182	HLGSRAT10290SGB5D50
350	268	340	213	158	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 340X213	HLGSRAT10340SGB5D50
400	299	390	244	182	5	50	80	RADIUS HELGI Motorized tensioned screen w/ black borders Soft Contrast Grey 390X244	HLGSRAT10390SGB5D50

SIZE		PROJECTION AREA			BLACK BORDERS	TOP DROP	TUBE ø	SCREEN DESCRIPTION	HELGI CODES
A	B	A'	B'	O"					
190	143	190	143	94			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 190X143	HLGSRAT43190RP
240	180	240	180	119			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 240X180	HLGSRAT43240RP
290	218	290	218	143			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 290X218	HLGSRAT43290RP
340	255	340	255	168			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 340X255	HLGSRAT43340RP
390	293	390	293	192			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 390X293	HLGSRAT43390RP
190	107	190	107	86			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 190X107	HLGSRAT16190RP
240	135	240	135	109			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 240X135	HLGSRAT16240RP
290	163	290	163	131			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 290X164	HLGSRAT16290RP
340	191	340	191	154			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 340X192	HLGSRAT16340RP
390	219	390	219	177			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 390X220	HLGSRAT16390RP
190	81	190	81	82			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 190X82	HLGSRAT21190RP
240	103	240	103	103			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 240X103	HLGSRAT21240RP
290	124	290	124	125			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 290X125	HLGSRAT21290RP
340	146	340	146	146			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 340X146	HLGSRAT21340RP
390	167	390	167	168			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 390X168	HLGSRAT21390RP
190	81	190	81	82			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 190X82	HLGSRAT10190RP
240	103	240	103	103			60	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 240X103	HLGSRAT10240RP
290	124	290	124	125			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 290X125	HLGSRAT10290RP
340	146	340	146	146			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 340X146	HLGSRAT10340RP
390	167	390	167	168			80	"Radius" HELGI tensioned motorized projection screen without black borders Canvas Retroproiezione 390X168	HLGSRAT10390RP