

FIXED FRAME Series
Projection Screen

China Well-known Trademark



Specification

Adjustable Fixed-Frame Series

Format	Model	Specification (inch)	Viewing Area (W x H)	Package (L x H x W)	Packing Size (L x H x W)	
2.35:1	Horizontal Adjustable Fixed-Frame Screen					
	LF-HMF-92	92	2150x 915	2450x1125x50	2470x308x152	
	LF-HMF-100	100	2337x 995	2637x1205x50	2630x308x152	
	LF-HMF-106	106	2477x1054	2777x1264x50	2767x308x152	
	LF-HMF-110	110	2571x1094	2870x1304x50	2860x308x152	
	LF-HMF-120	120	2805x1193	3164x1404x50	3094x308x152	
	LF-HMF-125	125	2921x1243	3221x1453x50	3206x308x152	
	LF-HMF-130	130	3038x1293	3338x1503x50	3307x308x152	
16:9	Vertical Adjustable Fixed-Frame Screen					
	LF-VMF-77W	77	1705x 958	1915x1258x50	2095x370x240	
	LF-VMF-80W	80	1771x 996	1981x1296x50	2161x370x240	
	LF-VMF-92W	92	2037x1145	2247x1445x50	2427x370x240	
	LF-VMF-100W	100	2214x1245	2424x1545x50	2604x370x240	
	LF-VMF-106W	106	2346x1320	2556x1620x50	2736x370x240	
	LF-VMF-120W	120	2656x1494	2866x1794x50	3046x370x240	
Concave Perm-Fixed Series						
Format	Specification (inch)	Viewing Area (W x H)	Frame Size(B)	C	Packing Size (L x H x W)	Net Weight (Kg)
16:9	77	1704x 958	80	410	1840x330x130	9.4
	80	1771x 996	80	443	1907x330x130	9.7
	92	2037x1145	80	501	2173x330x130	11.3
	100	2214x1245	80	590	2350x330x130	12.2
	106	2346x1319	80	580	2485x330x130	12.7
	112	2479x1394	80	641	2615x330x130	13.5
	120	2656x1494	80	660	2792x330x130	14.2
	150	3320x1867	80	842	3456x330x130	17.8
Format	Specification (inch)	Viewing Area (W x H)	Frame Size(B)	C	Package (L x H x W)	Net Weight (Kg)
4:3	Prestige					
	100	2030 x 1524	80	500	2190 x 1684 x 35	12.3
	120	2438 x 1829	80	600	2598 x 1989 x 35	14.7
	150	3048 x 2286	80	700	3208 x 2446 x 35	18.5
16: 9	92	2037 x 1145	80	500	2197 x 1305 x 35	11.0
	100	2214 x 1245	80	500	2374 x 1405 x 35	11.9
	106	2346 x 1320	80	600	2506 x 1480 x 35	12.5
	120	2656 x 1494	80	600	2816 x 1654 x 35	14.2
	150	3320 x 1867	80	800	3480 x 2027 x 35	15.5
	103	2407 x 1025	80	600	2567 x 1185 x 35	12.6
2.35: 1	115	2687 x 1145	80	600	2847 x 1305 x 35	13.1
	125	2921 x 1245	80	700	3081 x 1405 x 35	14.0
	Ultimate					
4:3	100	2030 x 1524	100	500	2230 x 1724 x 40	18.7
	120	2438 x 1829	100	600	2638 x 2029 x 40	22.2
	150	3048 x 2286	100	700	3248 x 2486 x 40	27.5
	180	3658 x 2743	100	900	3858 x 2943 x 40	28.2
	92	2037 x 1145	100	500	2237 x 1345 x 40	17.9
	100	2214 x 1245	100	500	2414 x 1445 x 40	19.3
	106	2346 x 1320	100	600	2546 x 1520 x 40	20.3
	120	2656 x 1494	100	600	2856 x 1694 x 40	22.8
16: 9	150	3320 x 1867	100	800	3520 x 2067 x 40	26.5
	180	3984 x 2240	100	900	4184 x 2440 x 40	27.1
	200	4427 x 2489	100	1000	4627 x 2689 x 40	30.5
	103	2407 x 1025	100	600	2607 x 1225 x 40	20.0
	115	2687 x 1145	100	600	2878 x 1345 x 40	21.8
	125	2921 x 1245	100	700	3121 x 1445 x 40	25.0

2-D View

Vertical Adjustable Fixed-Frame Screen

Horizontal Adjustable Fixed-Frame Screen

Concave Perm-Fixed Series

Sectional View of Adjustable Fixed-Frame Series

Sectional View of Perm-Fixed Series

Large-Flat Series(Prestige / Ultimate)

Installation brackets

FIXED FRAME Series
Projection Screen

Large-Flat | Concave Perm-Fixed | Adjustable Fixed-Frame

GRANDVIEW SCREEN (CANADA) CO., LTD.
ADD: #11-3751 North Fraser Way, Marine Way Business Centre,
Burnaby, BC, Canada V5J5G4
TEL: 1-604.412.9777 FAX: 1-604.412.9796
http://www.grandviewscreen.ca

GRANDVIEW CRYSTAL SCREEN CO., LTD.
Add: Federal Industry Zone, NO.363, Yushan Road W.
Shatou,Panyu, Guangzhou, Guangdong Prov., China
Tel: 020-84899499 Fax: 020-84805299
http://www.grandviewscreen.com

FIXED FRAME Series Projection Screen



Adjustable Fixed-Frame Series

One Button Manual Control System with no electrical Components needed! It is simple to use, consumer friendly and provides a professional look and appeal. By simply pulling the masks, the screen format can be converted between 2.35:1, 16:9 or 4:3 freely.

Inbuilt Innovative Movable Masking System

(For the Vertical Masking Screen only)

To retract both sides evenly when any one side is pulled.

Inbuilt Braking System

This key features ensures that the screen retracts slowly and steadily.

Easy Operation


The grips on the masking system are designed to be suitable and easy to use.

Easy Installation

By selecting the Aluminum alloy wrapped in velvet, the screen is light and beautiful. Plus it has an Universal Mounting system to ensure an easy installation.



Unique Movable Masking System
(For Vertical Masking Screen only)



2.35:1 16:9 4:3




16:9 2.35:1

Horizontal Adjustable Fixed-Frame Screen

As the home theatre experience and choice continue to expand, users now have the option of 2.35:1 formats promoting multi-format screens to be designed. Grandview's Horizontal Adjustable Fixed-Frame Screen is available in the 2.35:1 format. With an innovative movable masking system, it allows viewers to adjust the viewable area to 4:3 and 16:9.

Vertical Adjustable Fixed-Frame Screen

While the majority of home theatre projectors utilize a native 16:9 format, there are a growing number of projectors that have the capability to display 2.35:1. Grandview's Vertical Adjustable Fixed-Frame Screen is available in the 16:9 format and can be easily and professionally adjusted to a 2.35:1 with Grandview Unique Masking System.



Large-Flat Permanent
Fixed-Frame Screen

Large-Flat Series

Special Flat-Panel TV

Grandview's Large-Flat Permanent Fixed-Frame screen is a solution for the size limitation problem that comes with Traditional TV. The Permanent Fixed-Frame brings home the big screen theatre experience. Setting itself apart from normal screens, Grandview's Permanent Fixed-Frame screen features a plane positioning design that ensures equal tension from every side which makes the projection surface as flat as possible. The optional perforated screen material features the most advanced perforation technology that ensures both picture and sound is showcased at an optimal level. Grandview Permanent Fixed-Frame screen is the enthusiast's choice for user in a dedicated application.

4 Sided Tension Design

The steel tension bars along with the fixing lugs stretch and tightens. The screen fabric will be completely flat and wrinkle-free. The tension can be adjusted to ensure an evenly tensioned surface.



One Button Uninstall

By pressing the One button uninstall located under the install brackets, the whole screen can easily be taken down for cleaning.



Prestige Fixed Frame Screen Structure

*Aluminum alloy frame wrapped in velvet.

*45° corner connecting bracket fits perfectly and Easy to install 80cm Bevelled Frame.

*Used for sizes 150" and Below.

Ultimate Fixed Frame Screen

*Aluminum alloy frame wrapped in velvet.

*Corner Bracket are fixed by screws which ensure the connecting bracket is firm and rigid.

*100mm Bevelled Frame.



*Used for sizes 150" and Above.

Optional Fabric



Perforate Fabric(AT series)

Grandview perforated screen material features the most advanced perforation technology that ensures both picture and sound is showcased at an optimal level.



Curved Permanent
Fixed-Frame Screen

Concave Perm-Fixed Series

Designed for Optimal Viewing

Grandview's Large-Flat Permanent Fixed-Frame is designed for the most precision and enthusiast oriented applications. It features an advanced aluminum structure with the goal of creating an image made to fit the natural curve of the human eye. The Design is created to eliminate problems caused by different distances between the projector and the screen. This screen brings high definition viewing to a high level.


4 Sided Tension Design

The steel tension bars along with the fixing lugs stretch and tightens. The screen fabric for is to be completely flat and wrinkle-free. The tension can be adjusted to ensure an evenly tensioned surface.




More Accurate, Realistic; A feast for Your Eyes

Bases on the feature of eyeball to achieve high definition, and balance the focus of screen with purpose of achieving perfect effect between screen image and visual experience.



More Uniform, Detailed, Taking you into your Film World

Bases on the projector's Sphere to make the image uniform and perfectly focused.





Prestige Series Fixed Frame Screen

Grandview's Fixed-Frame Series is the enthusiast's choice for a dedicated home theatre experience. It features a multi-point tensioning system that ensures the surface is evenly tensioned for a perfectly flat projecting surface. Grandview's ISF certified 4K screens will bring the big cinema experience right into your home.

- Sizes: 84" – 150"
- Installation Options: Wall Mount
- 80mm bezel
- Multi-Point Tension Design
- Aluminum Frame
- Easy Installation
- Lightweight design

R1					S1				
Model	Diagonal Measurement	Viewing Area (W×H) mm	Product Height (A) mm	Black Drop (B3) mm	Lower Border (B2) mm	Left/Right (B1) mm	Product Length (L)	Endcap Height (Hc) mm	Endcap Width (Wc)
4:3	84"	1707 × 1280	1440	N/A	N/A	80	1867	N/A	N/A
	92"	1869 × 1402	1562	N/A	N/A	80	2029	N/A	N/A
16:9	95"	1930 × 1448	1608	N/A	N/A	80	2090	N/A	N/A
	100"	2032 × 1524	1684	N/A	N/A	80	2192	N/A	N/A
	105"	2134 × 1600	1760	N/A	N/A	80	2294	N/A	N/A
	106"	2154 × 1615	1775	N/A	N/A	80	2314	N/A	N/A
	110"	2235 × 1676	1836	N/A	N/A	80	2395	N/A	N/A
	112"	2276 × 1707	1867	N/A	N/A	80	2436	N/A	N/A
	120"	2438 × 1829	1989	N/A	N/A	80	2598	N/A	N/A
	130"	2642 × 1981	2141	N/A	N/A	80	2802	N/A	N/A
	150"	3048 × 2286	2446	N/A	N/A	80	3208	N/A	N/A

R1					S1				
Model	Diagonal Measurement	Viewing Area (W×H) mm	Product Height (A) mm	Black Drop (B3) mm	Lower Border (B2) mm	Left/Right (B1) mm	Product Length (L)	Endcap Height (Hc) mm	Endcap Width (Wc)
4:3	84"	1859 × 1045	1205	N/A	N/A	80	2019	N/A	N/A
	92"	2037 × 1145	1305	N/A	N/A	80	2197	N/A	N/A
16:9	95"	2103 × 1183	1343	N/A	N/A	80	2263	N/A	N/A
16:10	100"	2214 × 1245	1405	N/A	N/A	80	2374	N/A	N/A
	105"	2324 × 1308	1468	N/A	N/A	80	2484	N/A	N/A
	106"	2346 × 1319	1479	N/A	N/A	80	2506	N/A	N/A
	110"	2435 × 1369	1529	N/A	N/A	80	2595	N/A	N/A
	112"	2479 × 1394	1554	N/A	N/A	80	2639	N/A	N/A
	120"	2656 × 1494	1654	N/A	N/A	80	2816	N/A	N/A
	130"	2878 × 1619	1779	N/A	N/A	80	3038	N/A	N/A
	133"	2944 × 1656	1816	N/A	N/A	80	3104	N/A	N/A
	145"	3210 × 1805	1965	N/A	N/A	80	3370	N/A	N/A
	150"	3320 × 1867	2027	N/A	N/A	80	3480	N/A	N/A

R1					S1				
Model	Diagonal Measurement	Viewing Area (W×H) mm	Product Height (A) mm	Black Drop (B3) mm	Lower Border (B2) mm	Left/Right (B1) mm	Product Length (L)	Endcap Height (Hc) mm	Endcap Width (Wc)
4:3	84"	1809 × 1131	1291	N/A	N/A	80	1969	N/A	N/A
	92"	1982 × 1239	1399	N/A	N/A	80	2142	N/A	N/A
16:9	95"	2046 × 1279	1439	N/A	N/A	80	2206	N/A	N/A
16:10	100"	2154 × 1346	1506	N/A	N/A	80	2314	N/A	N/A
	105"	2262 × 1414	1574	N/A	N/A	80	2422	N/A	N/A
	106"	2283 × 1427	1587	N/A	N/A	80	2443	N/A	N/A
	110"	2369 × 1481	1641	N/A	N/A	80	2529	N/A	N/A
	112"	2412 × 1508	1668	N/A	N/A	80	2572	N/A	N/A
	120"	2585 × 1615	1775	N/A	N/A	80	2745	N/A	N/A
	130"	2800 × 1750	1910	N/A	N/A	80	2960	N/A	N/A
	133"	2865 × 1790	1950	N/A	N/A	80	3025	N/A	N/A
	145"	3123 × 1952	2112	N/A	N/A	80	3283	N/A	N/A
	150"	3231 × 2019	2179	N/A	N/A	80	3391	N/A	N/A