

TAB-ET Tab Tensioned Screen



Tab Tensioned Screen

TAB-ET Series

Features:

- The Bigger and thicker streamlined aluminium housing is more elegant and durable. It is designed to complement any type of room.
- A large roller tube, a heavy weight bar and the precisely tensioned tabs work together to ensure the screen is under vertical tension and eliminates the sway.
- Imported high quality tension strings guarantee a durable long life.
- Quiet tubular heavy duty motor makes the screens roll up and down smoothly.
- 4K Ultra HD ready Screen surface with wide viewing angle; Texture-free and no hot spotting.
- Easy and versatile installation: hang from the wall, fixed to the ceiling or hang from a chain.
- Easy limit control system allows you to adjust the limit in a snap.
- Professional packing solution to reduce risk of transportation damage.

Control Systems:

- RF remote control
- Wall control
- IR remote control (Optional)
- Built-in 12V wire trigger (Optional)

Surfaces available:

- Tension White 4K 1.1
- Dual Vision 4K
- Weave Acoustic HD 1.0
- Weave Acoustic 4K 1.1
- UltraSilver 3D 2.4
- Rear Pro HD 1.1

TAB-ET Specification

Format	Model	Size	View Area (W×H)	Border				Height H1	Length L1	Bottom Shaft Length L2	Assemble Distance L3		Package Volume			GW (Kg)
				B1	B2	B3	T1				min	max	PL	PW	PH	
HDTV FORMAT 16:9	TET9084	84 "	1860 × 1046	300	60	60	60	1541	2289	2068	1260	2169	2603	220	180	21.0
	TET9092	92 "	2037 × 1143	300	60	60	60	1638	2466	2245	1437	2346	2780	220	180	22.9
	TET9100	100 "	2214 × 1245	300	60	60	60	1740	2643	2422	1614	2523	2957	220	180	26.2
	TET9106	106 "	2347 × 1320	300	60	60	60	1815	2776	2555	1747	2656	3090	220	180	26.7
	TET9110	110 "	2435 × 1370	300	60	60	60	1865	2864	2643	1835	2744	3178	220	180	28.0
	TET9112	112 "	2480 × 1395	300	60	60	60	1890	2909	2688	1880	2789	3223	220	180	28.7
	TET9120	120 "	2657 × 1494	300	60	60	60	1989	3086	2865	2057	2966	3400	220	180	30.5
	TET9125	125 "	2767 × 1557	300	60	60	60	2052	3196	2975	2167	3076	3510	220	180	31.0
	TET9135	135 "	2989 × 1681	300	60	60	60	2176	3418	3197	3018	3298	3732	220	180	32.9
	TET9145	145 "	3210 × 1806	300	60	60	60	2301	3639	3418	3239	3519	3953	220	180	34.0
Cinema Scope 2.35:1	TET9150	150 "	3321 × 1868	300	60	60	75	2363	3750	3529	3350	3630	4064	220	180	36.1
	TET2080	80 "	1870 × 796	300	60	60	60	1291	2299	2078	1699	2179	2613	220	180	20.5
	TET2087	87 "	2033 × 865	300	60	60	60	1360	2462	2241	1862	2342	2776	220	180	22.0
	TET2094	94 "	2197 × 935	300	60	60	60	1430	2626	2405	2026	2506	2940	220	180	23.0
	TET2113	113 "	2641 × 1124	300	60	60	60	1619	3070	2849	2470	2950	3384	220	180	31.0
	TET2127	127 "	2968 × 1263	300	60	60	60	1758	3397	3176	2997	3277	3711	220	180	32.0
	TET2130	130 "	3039 × 1293	300	60	60	60	1788	3468	3247	3068	3348	3782	220	180	32.5
	TET2135	135 "	3155 × 1343	300	60	60	60	1838	3584	3363	3184	3464	3898	220	180	33.0
WXGA 16:10	TET2142	142 "	3320 × 1413	300	60	60	60	1908	3749	3528	3349	3629	4063	220	180	36.0
	TET6092	92 "	1982 × 1239	300	60	60	60	1734	2411	2190	1811	2291	2725	220	180	22.0
	TET6100	100 "	2154 × 1346	300	60	60	60	1841	2583	2362	1983	2463	2897	220	180	26.0
	TET6120	120 "	2585 × 1616	300	60	60	60	2111	3014	2793	2414	2894	3328	220	180	30.0
	TET6135	135 "	2908 × 1817	300	60	60	60	2312	3337	3116	2937	3217	3651	220	180	32.0
VIDEO FORMAT 4:3	TET6150	150 "	3231 × 2019	300	60	60	75	2514	3660	3439	3260	3540	3974	220	180	36.0
	TET3100	100 "	2032 × 1524	300	60	60	60	2019	2461	2240	1861	2341	2775	220	180	26.0
	TET3120	120 "	2438 × 1829	300	60	60	60	2324	2867	2646	2267	2747	3181	220	180	30.0
	TET3150	150 "	3048 × 2286	300	60	60	75	2781	3477	3256	3077	3357	3791	220	180	36.0

Measured by mm.

